# 1000 BTUH | INDOOR/OUTDOOR, UL TYPES 12, 4 & 4X AVAILABLE

Engineered & manufactured to endure the most difficult of environments and applications. Thermal Edge air conditioners will exceed environmental requirements in applications like Steel, Food Processing, Petro-Chemical, Cement, Paper & Pulp and Plastics



# **OPTIONS:**

- High Ambient
- Remote Controller
- Corrosion Protection
- Dry Contact
- Controller Programming
  Remote Control/Monitor
- Heater

- Open Door Kill Switch
- Custom Flnish
- Extended Temperature Probe
- Diagnostics

#### **Digital Temperature Controller**

- Programmable set point and temperature controls
- Visible Error and/or alarm messaging
- System status indication & keypad lockout function

# **Active Condensate Evaporation System**

- Constant elimination of condensate
- Increases unit efficiency by pre-cooling refrigerant

## **Key Design Features**

- · Sloped top to allow for water runoff
- Designed with rigid chassis and seam welded shroud
- Thoughtful interior design for easy maintenance
- · Narrow body style fits on 12" enclosure


#### **Unit Efficiency**

- Temperature operated condenser fan reduces power inrush and saves energy
- · Highly efficient rotary compressor
- Fully insulated & sealed cabinet
- Thermal Expansion Valve to maintain cooling capacity over a broad ambient temperature range

#### **Compressor Protection System**

- High & Low refrigerant cutouts with fault indication
- Compressor anti short cycle protection
- Compressor run capacitors reduce power inrush, save energy and increase compressor life

Model	UL Type	BTU/Hour	Material	Voltage/ Phase/Hz.	Running Amps	Max. Amb. Temp.	HxWxD	Unit Weight (lbs.)
NE01012612	12	1000	Powder coated steel	115/1/60	3.44	125°F	22" x 11.8" x 8.5"	51
NE01012604	4	1000	Powder coated steel	115/1/60	3.44	125°F	22" x 11.8" x 8.5"	51
NE0101264X	4X	1000	Stainless steel	115/1/60	3.44	125°F	22" x 11.8" x 8.5"	51
NE0101264XL4	4X	1000	Mill finish aluminum	115/1/60	3.44	125°F	22" x 11.8" x 8.5"	41
NE01023612	12	1000	Powder coated steel	230/1/60	2.67	125°F	22" x 11.8" x 8.5"	53
NE01023604	4	1000	Powder coated steel	230/1/60	2.67	125°F	22" x 11.8" x 8.5"	53
NE0102364X	4X	1000	Stainless steel	230/1/60	2.67	125°F	22" x 11.8" x 8.5"	53
NE0102364XL4	4X	1000	Mill finish aluminum	230/1/60	2.67	125°F	22" x 11.8" x 8.5"	43



ATTENTION: If ordering a replacement for a Thermal Edge air conditioner, please include the part number and serial number of the unit being replaced in your order. This will ensure that we ship a replacement that is compatible with the cutout dimensions and power connection features of the older model. All information subject to change without notice.

