




PRODUCT LINE OVERVIEW


| UL, CUL LISTED & CE CERTIFIED | STANDARD & HAZARDOUS LOCATIONS

Thermal Edge manufactures temperature control solutions that protect your electrical control panels in the most demanding industrial environments. Every unit is engineered and tested for quality and durability, and comes equipped with features designed to help reduce maintenance time and energy use.



Manufactured in the United States

Thermal Edge enclosure air conditioners and heat exchangers are proudly made in Irving, Texas, U.S.A.



Programmable Digital Controller

Programmable set point and temperature controls, visible error and/or alarm messaging, and system protection.



Energy Efficient Operation

Thermal Edge enclosure air conditioners offer a condensation management system that lowers running amps.



Industry Leading 5-Year Warranty

Thermal Edge products are warranted to be free of defects in workmanship, materials and components.

CS SERIES AIR CONDITIONERS

- Active Condensate Evaporation is standard
- Fits on a 7" or 10" deep enclosure
- Available in UL Types 12, 4, 4X
- Fully programmable digital controller with temperature and pressure monitors for a **smarter** air conditioner
- 115V, 230V, 48VDC in 1000 BTUH
- 1000 BTUH
- 2000 BTUH



NE SERIES AIR CONDITIONERS

- Active Condensate Evaporation is standard
- Fits on a 12" deep enclosure
- Available in UL Types 12, 4, 4X and Hazardous Environment applications
- Fully programmable digital controller with temperature and pressure monitors for a **smarter** air conditioner
- 115V, 230V, 460V, 48VDC in 4000 BTUH
- 1000 BTUH
- 1500 BTUH
- 2000 BTUH
- 3000 BTUH
- 4000 BTUH
- 5000 BTUH
- 6000 BTUH
- 8000 BTUH




HC SERIES AIR CONDITIONERS

- Active Condensate Evaporation is standard
- Available in UL Types 12, 4, 4X and Hazardous Environment applications
- Fully programmable digital controller with temperature and pressure monitors for a **smarter** air conditioner
- 115V, 230V, 460V
- 15,000 BTUH
- 20,000 BTUH



TM SERIES AIR CONDITIONERS

- Top Mounted Enclosure Air Conditioners
- Active Condensate Evaporation is standard
- Available in UL Types 12, 4, 4X
- Fully programmable digital controller with temperature and pressure monitors for a **smarter** air conditioner
- 115V, 230V, 460V
- 6000 BTUH
- 8000 BTUH



STANDARD ON EVERY THERMAL EDGE AIR CONDITIONER

- Industry leading 5-Year Workmanship Warranty
- Energy saving condensate evaporation system
- Fully programmable digital controller
- Thermal expansion valve
- Full A/C product line available in UL Types 12, 4 & 4X
- UL Listed under Standard 484, file number SA32252
- Rigid chassis and seam welded shroud
- Proudly manufactured in the U.S.A.



**NO WATER
DRIPS FROM
THERMAL EDGE
ENCLOSURE AC'S**

AIR TO WATER HEAT EXCHANGERS


- Industry leading 5-Year Workmanship Warranty
- Closed-loop Design
- Filterless Maintenance Free
- Optional Digital Controller and Solenoid Water Valve
- UL Types 12, 4 & 4X
- 115 VAC, 230 VAC and 460 VAC
- UL Listed

- 3,690 BTUH
- 7,773 BTUH
- 17,330 BTUH
- 18,930 BTUH



AIR TO AIR HEAT EXCHANGERS

- Industry leading 5-Year Workmanship Warranty
- High efficiency heat pipe design
- 3 different chassis sizes
- Standard units include on/off switch
- UL Types 12, 4 & 4X
- 115VAC, 230VAC, 24VDC & 48VDC
- Needs no filter
- UL Listed for standard & hazardous location



PLASTIC AND METAL FILTERED FANS

- 80 CFM - 750 CFM in a variety of sizes
- Industry leading 5-Year Workmanship Warranty
- Available in injection molded plastic, 16 gauge powder coated steel and 304 stainless steel
- UL Types 1, 12 or 3R
- Washable filters
- Includes a filtered exhaust panel
- Comes assembled with template and gaskets



Air Conditioner Options

- **Electrostatic Coil Coating** to protect from corrosion caused by a salt or chemical environment.
- **Integrated Heat Packages** to provide total temperature control for your enclosure, not just from the heat of summer but from the cold of winter.
- **Dry Contact Options** to allow the use of alarms, lights and notifications.
- **External Heat Control** to support use of an externally mounted heater in the enclosure.
- **316 Stainless Steel** for applications where 304 is not suitable.
- **Hazardous Location** for Class I, Division 2 Groups A, B, C & D applications.
- **Vibration Package** allows for enclosure cooling on cranes, moving vehicles or other difficult locations.
- **2" Deep Extended Filter Media** for applications like flour, cement or coal when a standard filter will load too quickly.
- **Remote Controller Option** to place our digital controller inside the electrical enclosure when the environment requires more security.
- **Redundant System Package** for critical applications, when enclosure cooler failure is not an option. This system operates two air conditioners with specially programmed controllers that toggle the two units to operate them alternately to guarantee that your enclosure always stays at its required temperature and provide automatic backup
- **The Universal Mounting Plate** allows mounting a Thermal Edge Enclosure A/C onto an enclosure that formerly held a different air conditioner model



Thermal Edge air conditioners can be built to operate on the voltage and frequency available wherever you need them.

